


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
 The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar All articles - Recent articles Results 1 - 10 of about 4,630 for (pooled (specimens or samples or p

Did you mean: (pooled (specimens or samples for patients)) and ((Taqman) or (real time))

[... Nile Virus from Human Clinical Specimens, Field-Collected Mosquitoes, and Avian Samples by a TaqMan ...](#) - [►nih.gov \[HTML\]](#)

RS Lanciotti, AJ Kerst, RS Nasci, MS Godsey, CJ ... - Journal of Clinical Microbiology, 2000 - Am Soc Microbiol

... in which a large number of samples (500) from a ... and Chris Happ (CDC) for mosquito pool preparation; Grant ... of Health) for providing human specimens for testing ...

Cited by 378 - Related articles - Web Search - BL Direct - All 6 versions

[Real time TaqMan PCR detection and quantitation of HBV genotypes A–G with the use of an internal](#)

J Weiss, H Wu, B Farrenkopf, T Schultz, G Song, S ... - Journal of Clinical Virology, 2004 - Elsevier

... DNA recovery enabling accurate quantitation of HBV DNA in each specimen. ... Samples from patients. ... were constructed by gravimetric measurement using a pool of HBV ...

Cited by 53 - Related articles - Web Search - All 5 versions

[Quantification of Human Immunodeficiency Virus Type 1 Proviral Load by a TaqMan Real-Time PCR Assay](#)

N Desire, A Dehee, V Schneider, C Jacomet, C ... - Journal of Clinical Microbiology, 2001 - Am Soc Microbiol

... been quantified in only two lymphoid tissue biopsy specimens. ... processing of a large number of samples, the HIV ... Early establishment of a pool of latently infected ...

Cited by 68 - Related articles - Web Search - BL Direct - All 7 versions

[Nucleic Acid Sequence-Based Amplification Assays for Rapid Detection of West Nile and St. Louis ...](#) - [►nih.gov \[HTML\]](#)

RS Lanciotti, AJ Kerst - Journal of Clinical Microbiology, 2001 - Am Soc Microbiol

... Gottfried, and Chris Happ for mosquito pool and avian ... Nile virus from human clinical specimens, field-collected mosquitoes, and avian samples by a ...

Cited by 106 - Related articles - Web Search - BL Direct - All 8 versions

[Quantitative real-time RT-PCR detection of breast cancer micrometastasis using a multigene marker](#)

M Mitas, K Mikhitarian, C Walters, PL Baron, BM ... - International Journal of Cancer, 2001 - doi.wiley.com

... Briefly, a single lymph node specimen was removed from 70 ... The fluorescence of each sample was re- corded as ... and added to cDNA prepared from pooled normal lymph ...

Cited by 150 - Related articles - Web Search - BL Direct - All 6 versions

[... -Based Real-Time PCR TaqMan Assay for Detection of Chlamydia pneumoniae DNA in Respiratory Specimens ...](#) - [►nih.gov \[HTML\]](#)

P Apfalter, W Barousch, M Nehr, A Makristathis, B ... - Journal of Clinical Microbiology, 2003 - Am Soc Microbiol

... our routine microbiology laboratory were pooled, centrifuged at ... were assessed with respiratory specimens from 45 ... with these unknown clinical samples were less ...

Cited by 41 - Related articles - Web Search - BL Direct - All 6 versions